

70 Inch Wall-mounted Advertising display imitated Apple Appearance

(Andriod)

Production Pictures











Features:

- Ultra-thin and ultra-light design, easy to use and beautiful
- High resolution, high contrast, high brightness, greatly improved picture layering, better performance details
- With automatic elimination of afterimage, protect the long-term use of the LCD screen
- Black level extension adaptive function to enhance image depth of field
- With professional-grade LCD screen, the video image is more beautiful and the stereoscopic effect is stronger.
- 16.7M color, the picture is more natural, the delicate picture is really no tail
- With intelligent temperature control, environmental protection and mute, high reliability, good stability, especially suitable for working in harsh environments.



• Long life, 7*24 hours of uninterrupted work, up to 60,000 hours

Features:

 Adopt mainstream Android chip, integrate Power VRTMSGX544MP graphics processing unit, have strong video processing capability, and can be compatible with most video formats and decoding capabilities.

- With 1G RAM (2G optional), 8G ROM, strong performance.
- •Super decoding supports most video formats such as MPG, MPG-1/4, AVI, MP4, TS, MKV, RMVB, MP3, wma, jpeg, bmp, etc.
- Rich interface: support SD card, USB2.0 hard disk, U disk
- Powerful digital audio amplifier, high-fidelity audio decoding, powerful 2x 5W hi-fi speaker, perfect for restoring multimedia sound

 Full-featured: support horizontal and vertical screen playback, video split screen, rolling subtitles, time switch, USB data import and other functions.

- Convenient management: User-friendly playlist creation software for easy advertising management and control. Play the log for easy understanding of playback.
- Diversified use mode: It can be distributed in the background network. It can export the program from the background to the U disk update, or it can be directly produced in a single machine without background update.

Product specification:

	Dual Core	Eight Core
CPU	All-Chi A20, Cortex-A7 architecture, dual-core frequency 1.2G	All-Chi A83T, Cortex-A7 architecture, eight cores at 1.2G
Memory	DDR3 1G	DDR3 1G (2G optional)
Built-in memory	emmc FLASH 8G	emmc FLASH 8G
Memory expansion	Up to 32GB TF card expansion	Support up to 32GB TF card expansion
WiFi	built-in 802.11b/g/n WIFI	WiFi built-in 802.11b/g/n WIFI
Bluetooth	No	Built-in BT2.0 (optional)
Operating system	Android 4.2	Android 4.4
Language	Simplified Chinese, Traditional Chinese, English, French, German, Italian, Japanese, Korean, Russian, Spanish, Polish, Czech, etc	Simplified Chinese, Traditional Chinese, English, French, German, Italian, Japanese, Korean, Russian Text, Spain, Poland, Czech and many other languages
Browser	UC Web, Google (ect) many other browsers	UC Web, Google(ect) many other browsers
Online entertainment	Supports online video, TV, movies, music, radio.	Supports online video, TV, movies, music, radio
Office software	WORD, EXCEL, POWERPOINT, PDF, TXT	WORD, EXCEL, POWERPOINT, PDF, TXT
Game	Built-in 3D acceleration, perfect for 3D effects.	Built-in 3D acceleration, perfect for 3D effects.
Expandability	Google market up to 20,000 kinds of excellent software free download	Google market up to 20,000 kinds of excellent software free download
Supported formats	Support AVI (H.264、DIVX、DIVX、 XVID), rm, rmvb, MKV (H.264、 DIVX、DIVX、XVID, WMV, MOV, MP4 (.H.264, MPEG, DIVX, XVID), DAT (VCD format), VOB (DVD format), PMP, MPEG, MPG, FLV (H.263, H.264), ASF, TS, TP, 3GP, MPG(ect) 30 formats or more	Support AVI (H.264、DIVX、DIVX、 XVID),rm,rmvb,MKV (H.264、 DIVX、DIVX、XVID),WMV,MOV, MP4 (H.264,MPEG,DIVX,XVID), DAT (VCD 格式),VOB (DVD format),PMP,MPEG,MPG,FLV (H.263,H.264),ASF,TS,TP, 3GP,MPG(ect) 30 formats or more
Decoding resolution	The highest resolution 1920*1080	The highest resolution 1920*1080
Video output	Maximum support HDMI1080P full HD output	Maximum support HDMI1080P full HD output
Support Format	Support MP3,WMA,MP2,OGG,AAC,M4A,MA4,FL AC,APE,3GP,WAV format audio playback, support song list function	Support MP3,WMA,MP2,OGG,AAC,M4A,MA4,F LAC,APE,3GP,WAV format audio playback, support song list function

Recording function	Support MP3, WMA format recording	Support MP3, WMA format recording
Additional features		
Picture browsing	Support JPG, BMP, PNG, GIF and other image formats to browse and support rotation / slide show, up to 4096 * 4096 resolution	support JPG, BMP, PNG, GIF and other image formats to browse and support rotation / Slideshow, up to 4096*4096 resolution
Text reading	Support TXT, PDF, HTML, HTM, CHM, UMD	Support TXT, PDF, HTML, HTM, CHM, UMD
USB2.0 interface	2 USB HOST (1 pin, 1 standard USB)	4 USB HOST (two external, two built- in), 2 built-in optional USB HOST
HDMI output	1 HDMI support 1080P output	1 HDMI support 1080P output
VGA output	None	None
AV output base	Supports 1 channel CVBS output and 2 channels of L/R channel output)	Supports 1 channel CVBS output and 2 channels of L/R channel output)
3G/4G interface	None	1 Mini PCI-E standard slot, expandable 3G/4G module, up to full Netcom
SIM card No	No	1 standard SIM card slot, up to 4G full Netcom
Memory card expansion	1 standard TF card slot	1 standard SD card slot
Audio speaker output	Left and right channel output (maximum support for dual channel 4R/3W speakers)	Left and right channel output (maximum support for dual channel 4R/5W speakers)
Headphone holder	can be connected to the headphone stand externally.	It can be connected to the headphone stand by external connection.
RTC real-time clock	1 clock battery holder (RC2032 or through a socket to connect a larger capacity button battery)	1 clock battery holder (RC2032 or through a socket to connect a larger capacity button battery)
LAN	1 standard RJ45 100 M interface	1 standard RJ45 100 M interface

Surface Board Reference	Panel type	70"LCD Panel
	Aspect ratio	16:9
	Backlight type	LED
	Resolution	1920×1080
	Display color	16.7M
	Brightness	450cd/m2 (700 cd/m2 Optional)
	Speaker	20Watt
	Contrast	5000:1
	Viewing angle	176°(H)/176°(V)
	Response time	6ms

	Color system	PAL/NTSC/SECAM
	Service life	60000 hours
Electricity Source Power	Input	AC100V~240V
	Power consumption	≤160W
	Standby power consumption	≤3W
Working Environment	Working Temperature	0℃~40℃
	Storage Temperature	-20℃~60℃
	Working Humidity	10%~90%
	Storage Humidity	10%~90%
Products Related	Install Method	Wall-amount
	Product Dimension	1873*1180*198 (mm)
	Gross Weight	60kgs
	Appearance color	Silver
	Shell material	Aluminum wire drawing



65" LCD Advertising Display









